Author Index

Ahnoff, M., see Witte, D.T. 641(1993)39

Altria, K.D., Harden, R.C., Hart, M., Hevizi, J., Hailey, P.A., Makwana, J.V. and Portsmouth, M.J.
Inter-company cross-validation exercise on capillary electrophoresis. I. Chiral analysis of clenbuterol 641(1993)147

Andersson, P.E., Demirbüker, M. and Blomberg, L.G.
Characterization of fuels by multi-dimensional supercritical fluid chromatography and supercritical fluid chromatography–mass spectrometry 641(1993)347

Armstrong, D.W., see Pawlowska, M. 641(1993)257

Aue, W.A. and Sun, X.-Y.
Quenching in the flame photometric detector 641(1993)291

Bald, E. and Sypniewski, S.
Reversed-phase high-performance liquid chromatographic determination of sulphide in an aqueous matrix using 2-iodo-1-methylpyridinium chloride as a precolumn ultraviolet derivatization reagent 641(1993)184

Beckers, J.L.
Isotachophoresis superimposed on capillary zone electrophoresis 641(1993)363

Betts, T.J.
Capability of a carbon support to improve the gas chromatographic performance of a liquid crystal phase in a packed column for some volatile oil constituents 641(1993)189

Bihoreau, N., see Vincentelli, R. 641(1993)383

Birkenmeier, G., see Walter, H. 641(1993)279

Blomberg, L.G., see Andersson, P.E. 641(1993)347

Bonifaci, L. and Ravanetti, G.P.
Thermodynamic study of polystyrene–*n*-alkane systems by inverse gas chromatography 641(1993)301

Borák, J., see Macka, M. 641(1993)101

Brites, M.J., Guerreiro, A., Gigante, B. and Marcelo-Curto, M.J.
Quantitative determination of dehydroabietic acid methyl ester in disproportionated rosin 641(1993)199

Burke, J.A., see Pirkle, W.H. 641(1993)21

Camacho-Torralba, P.L., Vigh, Gy. and Thompson, D.H.
High-performance chiral displacement chromatographic separations in the normal-phase mode. I. Retention and adsorption studies of potential displacers developed for the Pirkle-type naphthylalanine silica stationary phase 641(1993)31

Camps, F., see Marco, M.-P. 641(1993)81

Caruso, J.A., see Vela, N.P. 641(1993)337

Chen, S., see Pawlowska, M. 641(1993)257

Choma, I. and Dawidowicz, A.L.
Siliceous sorbents with immobilized Carbowax 20M as column packings for liquid chromatography. II. Application in high-performance liquid chromatography 641(1993)211

Choma, I., Dawidowicz, A.L., Dobrowolski, R. and Pikus, S.
Siliceous sorbents with immobilized Carbowax 20M as column packings for liquid chromatography. I. Physico-chemical properties of siliceous materials with immobilized Carbowax 20M layer 641(1993)205

Coll, J., see Marco, M.-P. 641(1993)81

Dankers, J., Groenenboom, M., Scholtis, L.H.A. and Van der Heiden, C.
High-speed supercritical fluid extraction method for routine measurement of polycyclic aromatic hydrocarbons in environmental soils with dichloromethane as a static modifier 641(1993)357

Dawidowicz, A.L., see Choma, I. 641(1993)205

Dawidowicz, A.L., see Choma, I. 641(1993)211

Delgado, C., see Selisko, B. 641(1993)71

Demirbüker, M., see Andersson, P.E. 641(1993)347

De Zeeuw, R.A., see Witte, D.T. 641(1993)39

Dobrowolski, R., see Choma, I. 641(1993)205

Ehwald, R., see Selisko, B. 641(1993)71

Erni, F., see Keller, H.R. 641(1993)1

Excoffier, J.L., see Keller, H.R. 641(1993)1

Fingas, M., see Wang, Z. 641(1993)125

Fischbeck, G., see Schewes, R. 641(1993)89

Fisher, D., see Selisko, B. 641(1993)71

Franke, J.-P., see Witte, D.T. 641(1993)39

Fritz, J.S., see Schmidt, L. 641(1993)57

Gescher, A., see Mráz, J. 641(1993)194

Giese, R.W., see Saha, M. 641(1993)400

Gigante, B., see Brites, M.J. 641(1993)199

Groenenboom, M., see Dankers, J. 641(1993)357

Guerreiro, A., see Brites, M.J. 641(1993)199

Hagel, L., Hartmann, A. and Lund, K.
Analytical gel filtration of dextran for study of the glomerular barrier function 641(1993)63

Hagen, D.F., see Schmidt, L. 641(1993)57

Hailey, P.A., see Altria, K.D. 641(1993)147

Hamana, K., see Niitsu, M. 641(1993)115

Harden, R.C., see Altria, K.D. 641(1993)147

Hartmann, A., see Hagel, L. 641(1993)63

Hart, M., see Altria, K.D. 641(1993)147

Hayward, M.J., see Snodgrass, J.T. 641(1993)396

Hevizi, J., see Altria, K.D. 641(1993)147

Hong, J., see Kim, K.-R. 641(1993)319

Iwasaki, M., see Yonekura, S. 641(1993)235

Janoš, P.
Determination of stability constants of metal complexes from ion chromatographic measurements 641(1993)229

Jheeta, P., see Mráz, J. 641(1993)194

Jump, W.G., see Wilson, T.D. 641(1993)241

Kai, M., see Yonekura, S. 641(1993)235

Kaida, Y. and Okamoto, Y.
Optical resolution by high-performance liquid chromatography on benzylcarbamates of cellulose and amylose 641(1993)267

Author Index

Ahnoff, M., see Witte, D.T. 641(1993)39

Altria, K.D., Harden, R.C., Hart, M., Hevizi, J., Hailey, P.A., Makwana, J.V. and Portsmouth, M.J.
Inter-company cross-validation exercise on capillary electrophoresis. I. Chiral analysis of clenbuterol 641(1993)147

Andersson, P.E., Demirbüker, M. and Blomberg, L.G.
Characterization of fuels by multi-dimensional supercritical fluid chromatography and supercritical fluid chromatography–mass spectrometry 641(1993)347

Armstrong, D.W., see Pawlowska, M. 641(1993)257

Aue, W.A. and Sun, X.-Y.
Quenching in the flame photometric detector 641(1993)291

Bald, E. and Sypniewski, S.
Reversed-phase high-performance liquid chromatographic determination of sulphide in an aqueous matrix using 2-iodo-1-methylpyridinium chloride as a precolumn ultraviolet derivatization reagent 641(1993)184

Beckers, J.L.
Isotachophoresis superimposed on capillary zone electrophoresis 641(1993)363

Betts, T.J.
Capability of a carbon support to improve the gas chromatographic performance of a liquid crystal phase in a packed column for some volatile oil constituents 641(1993)189

Bihoreau, N., see Vincentelli, R. 641(1993)383

Birkenmeier, G., see Walter, H. 641(1993)279

Blomberg, L.G., see Andersson, P.E. 641(1993)347

Bonifaci, L. and Ravanetti, G.P.
Thermodynamic study of polystyrene–*n*-alkane systems by inverse gas chromatography 641(1993)301

Borák, J., see Macka, M. 641(1993)101

Brites, M.J., Guerreiro, A., Gigante, B. and Marcelo-Curto, M.J.
Quantitative determination of dehydroabietic acid methyl ester in disproportionated rosin 641(1993)199

Burke, J.A., see Pirkle, W.H. 641(1993)21

Camacho-Torralba, P.L., Vigh, Gy. and Thompson, D.H.
High-performance chiral displacement chromatographic separations in the normal-phase mode. I. Retention and adsorption studies of potential displacers developed for the Pirkle-type naphthylalanine silica stationary phase 641(1993)31

Camps, F., see Marco, M.-P. 641(1993)81

Caruso, J.A., see Vela, N.P. 641(1993)337

Chen, S., see Pawlowska, M. 641(1993)257

Choma, I. and Dawidowicz, A.L.
Siliceous sorbents with immobilized Carbowax 20M as column packings for liquid chromatography. II. Application in high-performance liquid chromatography 641(1993)211

Choma, I., Dawidowicz, A.L., Dobrowolski, R. and Pikus, S.
Siliceous sorbents with immobilized Carbowax 20M as column packings for liquid chromatography. I. Physico-chemical properties of siliceous materials with immobilized Carbowax 20M layer 641(1993)205

Coll, J., see Marco, M.-P. 641(1993)81

Dankers, J., Groenenboom, M., Scholtis, L.H.A. and Van der Heiden, C.
High-speed supercritical fluid extraction method for routine measurement of polycyclic aromatic hydrocarbons in environmental soils with dichloromethane as a static modifier 641(1993)357

Dawidowicz, A.L., see Choma, I. 641(1993)205

Dawidowicz, A.L., see Choma, I. 641(1993)211

Delgado, C., see Selisko, B. 641(1993)71

Demirbüker, M., see Andersson, P.E. 641(1993)347

De Zeeuw, R.A., see Witte, D.T. 641(1993)39

Dobrowolski, R., see Choma, I. 641(1993)205

Ehwald, R., see Selisko, B. 641(1993)71

Erni, F., see Keller, H.R. 641(1993)1

Excoffier, J.L., see Keller, H.R. 641(1993)1

Fingas, M., see Wang, Z. 641(1993)125

Fischbeck, G., see Schewes, R. 641(1993)89

Fisher, D., see Selisko, B. 641(1993)71

Franke, J.-P., see Witte, D.T. 641(1993)39

Fritz, J.S., see Schmidt, L. 641(1993)57

Gescher, A., see Mráz, J. 641(1993)194

Giese, R.W., see Saha, M. 641(1993)400

Gigante, B., see Brites, M.J. 641(1993)199

Groenenboom, M., see Dankers, J. 641(1993)357

Guerreiro, A., see Brites, M.J. 641(1993)199

Hagel, L., Hartmann, A. and Lund, K.
Analytical gel filtration of dextran for study of the glomerular barrier function 641(1993)63

Hagen, D.F., see Schmidt, L. 641(1993)57

Hailey, P.A., see Altria, K.D. 641(1993)147

Hamana, K., see Niitsu, M. 641(1993)115

Harden, R.C., see Altria, K.D. 641(1993)147

Hartmann, A., see Hagel, L. 641(1993)63

Hart, M., see Altria, K.D. 641(1993)147

Hayward, M.J., see Snodgrass, J.T. 641(1993)396

Hevizi, J., see Altria, K.D. 641(1993)147

Hong, J., see Kim, K.-R. 641(1993)319

Iwasaki, M., see Yonekura, S. 641(1993)235

Janoš, P.
Determination of stability constants of metal complexes from ion chromatographic measurements 641(1993)229

Jheeta, P., see Mráz, J. 641(1993)194

Jump, W.G., see Wilson, T.D. 641(1993)241

Kai, M., see Yonekura, S. 641(1993)235

Kaida, Y. and Okamoto, Y.
Optical resolution by high-performance liquid chromatography on benzylcarbamates of cellulose and amylose 641(1993)267

Karlsson, K.-E., see Witte, D.T. 641(1993)39
Keller, H.R., Kiechle, P., Erni, F., Massart, D.L. and Excoffier, J.L.
Assessment of peak homogeneity in liquid chromatography using multivariate chemometric techniques 641(1993)1
Kibbey, C.E. and Meyerhoff, M.E.
Shape-selective separation of polycyclic aromatic hydrocarbons by reversed-phase liquid chromatography on tetraphenylporphyrin-based stationary phases 641(1993)49
Kiechle, P., see Keller, H.R. 641(1993)1
Kim, K.-R., Shim, W.-H., Shin, Y.-J., Park, J., Myung, S. and Hong, J.
Capillary gas chromatography of acidic non-steroidal antiinflammatory drugs as *tert.*-butyldimethylsilyl derivatives 641(1993)319
Koistinen, J., see Sinkkonen, S. 641(1993)309
Kolehmainen, E., see Sinkkonen, S. 641(1993)309
Krstulović, A.M., see Lesellier, E. 641(1993)137
Lahtiperä, M., see Sinkkonen, S. 641(1993)309
Lepschy von Gleissenthall, J., see Schewes, R. 641(1993)89
Lesellier, E., Krstulović, A.M. and Tchapla, A.
Specific effects of modifiers in subcritical fluid chromatography of carotenoid pigments 641(1993)137
Levesque, J., see Rey, J.-P. 641(1993)180
Lund, K., see Hagel, L. 641(1993)63
Macka, M. and Borák, J.
Chromatographic behaviour of some platinum(II) complexes on octadecylsilica dynamically modified with a mixture of a cationic and an anionic amphiphilic modifier 641(1993)101
Maidl, F.X., see Schewes, R. 641(1993)89
Makwana, J.V., see Altria, K.D. 641(1993)147
Marasas, W.F.O., see Shephard, G.S. 641(1993)95
Marcelo-Curto, M.J., see Brites, M.J. 641(1993)199
Marco, M.-P., Sánchez-Baeza, F.J., Camps, F. and Coll, J.
Phytoecdysteroid analysis by high-performance liquid chromatography–thermospray mass spectrometry 641(1993)81
Markell, C.G., see Schmidt, L. 641(1993)57
Massart, D.L., see Keller, H.R. 641(1993)1
Matsuzaki, S., see Niitsu, M. 641(1993)115
Meyer, V.R. and Palamareva, M.D.
New graph of binary mixture solvent strength in adsorption liquid chromatography 641(1993)391
Meyerhoff, M.E., see Kibbey, C.E. 641(1993)49
Morita, I. and Sawada, J.-I.
Capillary electrophoresis with on-line sample pretreatment for the analysis of biological samples with direct injection 641(1993)375
Mráz, J., Jheeta, P., Gescher, A. and Threadgill, M.D.
Unusual deuterium isotope effect on the retention of formamides in gas–liquid chromatography 641(1993)194
Murray, P.G., see Pirkle, W.H. 641(1993)11
Murray, P.G., see Pirkle, W.H. 641(1993)21
Myung, S., see Kim, K.-R. 641(1993)319
Nakajima, M., Wakabayashi, H., Yamato, S. and Shimada, K.
New labelling agent, 2-[2-(isocyanate)ethyl]-3-methyl-1,4-naphthoquinone, for high-performance liquid chromatography of hydroxysteroids with electrochemical detection 641(1993)176
Nakazato, T. and Yoza, N.
Detection systems with a photodiode-array detector for flow-injection and high-performance liquid chromatographic determination of phosphinate, phosphonate and diphosphonate 641(1993)221
Neumann, W.C., see Wilson, T.D. 641(1993)241
Niitsu, M., Samejima, K., Matsuzaki, S. and Hamana, K.
Systematic analysis of naturally occurring linear and branched polyamines by gas chromatography and gas chromatography–mass spectrometry 641(1993)115
Ohkura, Y., see Yonekura, S. 641(1993)235
Okamoto, Y., see Kaida, Y. 641(1993)267
Palamareva, M.D., see Meyer, V.R. 641(1993)391
Park, J., see Kim, K.-R. 641(1993)319
Pawlowska, M., Chen, S. and Armstrong, D.W.
Enantiomeric separation of fluorescent, 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate, tagged amino acids 641(1993)257
Perry, R.L., see Tindall, G.W. 641(1993)163
Pikus, S., see Choma, I. 641(1993)205
Pirkle, W.H. and Murray, P.G.
Chiral stationary phase design. Use of intercalative effects to enhance enantioselectivity 641(1993)11
Pirkle, W.H., Murray, P.G. and Burke, J.A.
Use of homologous series of analytes as mechanistic probes to investigate the origins of enantioselectivity on two chiral stationary phases 641(1993)21
Portsmouth, M.J., see Altria, K.D. 641(1993)147
Pousset, J.-L., see Rey, J.-P. 641(1993)180
Ravanetti, G.P., see Bonifaci, L. 641(1993)301
Reinhoud, N.J., Tjaden, U.R. and Van der Greef, J.
Automated isotachophoretic analyte focusing for capillary zone electrophoresis in a single capillary using hydrodynamic back-pressure programming 641(1993)155
Rey, J.-P., Levesque, J. and Pousset, J.-L.
Analytical studies of *dl*-stylopine in *Chelidonium majus* L. using high-performance liquid chromatography 641(1993)180
Reynolds, D.L., see Sly, L.A. 641(1993)249
Roth, M.
Thermodynamic pitfalls in chromatography revisited: supercritical fluid chromatography 164(1993)329
Saha, J., see Saha, M. 641(1993)400
Saha, M., Saha, J. and Giese, R.W.
4-(Trifluoromethyl)-2,3,5,6-tetrafluorobenzyl bromide as a new electrophoric derivatizing reagent 641(1993)400
Samejima, K., see Niitsu, M. 641(1993)115
Sánchez-Baeza, F.J., see Marco, M.-P. 641(1993)81
San Martin, T., see Wilson, T.D. 641(1993)241
Sawada, J.-I., see Morita, I. 641(1993)375

Schewes, R., Maidl, F.X., Fischbeck, G., Lepschy von Gleissenthall, J. and Süss, A.
Trace determination of weathered atrazine and terbuthylazine and their degradation products in soil by high-performance liquid chromatography–diode-array detection 641(1993)89
Schmidt, L., Sun, J.J., Fritz, J.S., Hagen, D.F., Markell, C.G. and Wisted, E.E.
Solid-phase extraction of phenols using membranes loaded with modified polymeric resins 641(1993)57
Scholtis, L.H.A., see Dankers, J. 641(1993)357
Selisko, B., Delgado, C., Fisher, D. and Ehwald, R.
Analysis and purification of monomethoxy-polyethylene glycol by vesicle and gel permeation chromatography 641(1993)71
Shephard, G.S., Thiel, P.G., Marasas, W.F.O., Sydenham, E.W. and Vleggaar, R.
Isolation and determination of AAL phytotoxins from corn cultures of the fungus *Alternaria alternata* f. sp. *lycopersici* 641(1993)95
Shim, W.-H., see Kim, K.-R. 641(1993)319
Shimada, K., see Nakajima, M. 641(1993)176
Shin, Y.-J., see Kim, K.-R. 641(1993)319
Sinkkonen, S., Kolehmainen, E., Koistinen, J. and Lahtiperä, M.
High-resolution gas chromatographic–mass spectrometric determination of neutral chlorinated aromatic sulphur compounds in stack gas samples 641(1993)309
Sly, L.A., Reynolds, D.L. and Walker, T.A.
Isomeric separation of Beraprost sodium using an α_1-acid glycoprotein column 641(1993)249
Snodgrass, J.T., Hayward, M.J. and Thomson, M.L.
Time- and cost-saving approach for liquid chromatography–mass spectrometry vacuum systems 641(1993)396
Sun, J.J., see Schmidt, L. 641(1993)57
Sun, X.-Y., see Aue, W.A. 641(1993)291
Süss, A., see Schewes, R. 641(1993)89
Sydenham, E.W., see Shephard, G.S. 641(1993)95
Sypniewski, S., see Bald, E. 641(1993)184
Takács, J.M.
Chromatographic retention indices–an aid to identification of organic compounds (by V. Pacáková and L. Felt) (Book Review) 641(1993)405
Tchapla, A., see Lesellier, E. 641(1993)137
Thiel, P.G., see Shephard, G.S. 641(1993)95
Thompson, D.H., see Camacho-Torralba, P.L. 641(1993)31
Thomson, M.L., see Snodgrass, J.T. 641(1993)396
Threadgill, M.D., see Mráz, J. 641(1993)194
Tindall, G.W., Wilder, D.R. and Perry, R.L.
Optimizing dynamic range for the analysis of small ions by capillary zone electrophoresis 641(1993)163
Tjaden, U.R., see Reinhoud, N.J. 641(1993)155
Van der Greef, J., see Reinhoud, N.J. 641(1993)155
Van der Heiden, C., see Dankers, J. 641(1993)357
Vela, N.P. and Caruso, J.A.
Comparison of flame ionization and inductively coupled plasma mass spectrometry for the detection of organometallics separated by capillary supercritical fluid chromatography 641(1993)337
Vigh, Gy., see Camacho-Torralba, P.L. 641(1993)31
Vincentelli, R. and Bihoreau, N.
Characterization of each isoform of a $F(ab')_2$ by capillary electrophoresis 641(1993)383
Vleggaar, R., see Shephard, G.S. 641(1993)95
Wakabayashi, H., see Nakajima, M. 641(1993)176
Walker, T.A., see Sly, L.A. 641(1993)249
Walter, H., Widen, K.E. and Birkenmeier, G.
Immobilized metal ion affinity partitioning of erythrocytes from different species in dextran–poly(ethylene glycol) aqueous phase systems 641(1993)279
Wang, Z. and Fingas, M.
Quantitative analysis of polyethoxylated octylphenol by capillary supercritical fluid chromatography 641(1993)125
Widen, K.E., see Walter, H. 641(1993)279
Wilder, D.R., see Tindall, G.W. 641(1993)163
Wilson, T.D., Jump, W.G., Neumann, W.C. and San Martin, T.
Validation of improved methods for high-performance liquid chromatograpic determination of phenylpropanolamine, dextromethorphan, guaifenesin and sodium benzoate in a cough-cold formulation 641(1993)241
Wisted, E.E., see Schmidt, L. 641(1993)57
Witte, D.T., Ahnoff, M., Karlsson, K.-E., Franke, J.-P. and De Zeeuw, R.A.
Liquid chromatographic chiral separations of the N-6-(*endo*-2-norbornyl)-9-methyladenine enantiomers 641(1993)39
Wu, G.
Determination of proline by reversed-phase high-performance liquid chromatography with automated pre-column *o*-phthaldialdehyde derivatization 641(1993)168
Yamato, S., see Nakajima, M. 641(1993)176
Yeung, E.S.
A practical guide to HPLC detection (by D. Parriott) (Book Review) 641(1993)203
Yonekura, S., Iwasaki, M., Kai, M. and Ohkura, Y.
High-performance liquid chromatography of guanine and its nucleosides and nucleotides by pre-column fluorescence derivatization with phenylglyoxal reagent 641(1993)235
Yoza, N., see Nakazato, T. 641(1993)221